

**STAMMOPUR AG**

Revision date: 22.02.2018

No: 83001

Page 1 of 8

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

STAMMOPUR AG

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Cleaning agent. Plaster and alginate remover, ready for use.

Restricted to professional users.

**1.3. Details of the supplier of the safety data sheet**

Company name: DR.H.STAMM GmbH Chemische Fabrik  
Street: Heinrichstr. 3 – 4  
Place: 12207 Berlin, GERMANY  
Telephone: +49 30 76880-280  
e-mail: info@dr-stamm.de  
Internet: www.dr-stamm.de  
Responsible Department: sdb@dr-stamm.de, Tel.: +49 30 76880-258

**1.4. Emergency telephone number:** 24-hours-emergency: Giftnotruf Berlin: +49 30 30686700 (german, english)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes serious eye damage.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard components for labelling**

tetrasodium ethylene diamine tetraacetate

**Signal word:** Danger**Pictograms:****Hazard statements**

H318

Causes serious eye damage.

**Precautionary statements**

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**2.3. Other hazards**

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

## STAMMOPUR AG

Revision date: 22.02.2018

No: 83001

Page 2 of 8

## Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7732-18-5	Water			60-80 %
	213-791-2			
64-02-8	tetrasodium ethylene diamine tetraacetate			<25,0 %
	200-573-9		01-2119486762-27	
	Acute Tox. 4, Acute Tox. 4, Eye Dam. 1, STOT RE 2; H332 H302 H318 H373			
5949-29-1	Citric acid			<6,0 %
	201-069-1		01-2119457026-42	
	Eye Irrit. 2; H319			
497-19-8	sodium carbonate			<3,0 %
	207-838-8	011-005-00-2	01-2119485498-19	
	Eye Irrit. 2; H319			
100085-64-1	Cocobetainamido Amphopropionate			<0,1 %
	309-206-8		*	
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Acute 1; H315 H319 H400			

Full text of H and EUH statements: see section 16.

## Further Information

\*Polymer

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

## General information

Change contaminated clothing.

## After inhalation

In case of inhaling spray mists, consult a doctor .

## After contact with skin

After contact with skin, wash immediately with plenty of Water and soap.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

## After ingestion

Rinse mouth immediately and drink large quantities of water. Do not induce vomiting. Consult physician.

## 4.2. Most important symptoms and effects, both acute and delayed

No symptoms known up to now.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

## Suitable extinguishing media

Water. Foam. Atomized water.

## Unsuitable extinguishing media

High power water jet.

## STAMMOPUR AG

Revision date: 22.02.2018

No: 83001

Page 3 of 8

**5.2. Special hazards arising from the substance or mixture**

Can be released in case of fire: Nitrogen oxides (NO<sub>x</sub>). Carbon dioxide (CO<sub>2</sub>).

**5.3. Advice for firefighters**

Protective clothing.

**Additional information**

Material is not combustible. Extinguishing materials should be selected according to the surrounding area.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment.

**6.2. Environmental precautions**

Do not empty into drains or the aquatic environment.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the assimilated material according to the section on waste disposal.

**6.4. Reference to other sections**

See protective measures under point 7 and 8.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

No special technical protective measures are necessary.

**Advice on protection against fire and explosion**

Product is not: Oxidizing. Flammable. explosive.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Store only in original container. Keep away from food, drink and animal feedingstuffs.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
64-02-8	tetrasodium ethylene diamine tetraacetate			
Worker DNEL, acute		inhalation	local	2,5 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	2,5 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	1,5 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	1,5 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	25 mg/kg bw/day

**PNEC values**

CAS No	Substance	Value
64-02-8	tetrasodium ethylene diamine tetraacetate	
Freshwater		2,2 mg/l
Freshwater (intermittent releases)		1,2 mg/l
Marine water		0,22 mg/l
Freshwater sediment		0,72 mg/kg

## STAMMOPUR AG

Revision date: 22.02.2018

No: 83001

Page 4 of 8

**Additional advice on limit values**

Does not contain substances above concentration limits fixing an occupational exposure limit.

**8.2. Exposure controls****Appropriate engineering controls**

Refer to chapter 7. No further action is necessary.

**Protective and hygiene measures**

Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and at the end of work.

**Eye/face protection**

Wear eye/face protection.

**Hand protection**

Suitable material: PE (polyethylene). CR (polychloroprenes, Chloroprene rubber). NBR (Nitrile rubber). Butyl rubber. FKM (Fluoroelastomer (Viton)).

Tested protective gloves are to be worn: EN 374

**Skin protection**

Skin protection: not required.

**Respiratory protection**

Respiratory protection not required.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	clear, yellow
Odour:	characteristic

pH-Value (at 20 °C):

8,0 DGF H-III 1

**Changes in the physical state**

Melting point:

-18 °C

Initial boiling point and boiling range:

>100 °C

Flash point:

---

**Explosive properties**

not Explosive.

**Oxidizing properties**

not oxidizing.

Density (at 20 °C):

1,20 g/cm<sup>3</sup> DIN 12791

Water solubility:

complete miscible

**SECTION 10: Stability and reactivity****10.1. Reactivity**

None, in case of proper use.

**10.2. Chemical stability**

The product is chemically stable under normal ambient conditions.

**10.3. Possibility of hazardous reactions**

None, in case of proper use.

**10.4. Conditions to avoid**

Thermal decomposition can lead to the escape of irritating gases and vapors.

**10.5. Incompatible materials**

None, in case of proper use.

## STAMMOPUR AG

Revision date: 22.02.2018

No: 83001

Page 5 of 8

**10.6. Hazardous decomposition products**

None, in case of proper use.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64-02-8	tetrasodium ethylene diamine tetraacetate				
	oral	LD50 1780-2000 mg/kg	rat	ECHA	
	inhalative vapour	ATE 11 mg/l			
	inhalative aerosol	ATE 1,5 mg/l			
5949-29-1	Citric acid				
	oral	LD50 5400 mg/kg	mouse		OECD 401
	dermal	LD50 >2000 mg/kg	rat		
497-19-8	sodium carbonate				
	oral	LD50 4090 mg/kg	Rat	IUCLID	
100085-64-1	Cocobetainamido Amphopropionate				
	oral	LD50 >2000 mg/kg	Ratte	OECD 401	
	dermal	LD50 >2000 mg/kg	Ratte	OECD 402	

**Irritation and corrosivity**

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Risk of serious damage to eyes.

**Sensitising effects**

Based on available data, the classification criteria are not met.

no danger of sensitization.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information****12.1. Toxicity**

Technically correct releases of minimal concentrations to adapted biological sewage treatment facility, will not disturb the biodegradability of activated sludge.

## STAMMOPUR AG

Revision date: 22.02.2018

No: 83001

Page 6 of 8

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64-02-8	tetrasodium ethylene diamine tetraacetate					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Lepomis macrochirus	ECHA	EPA-Guideline OPP 72-1
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna	ECHA	DIN 38412 / part 11
5949-29-1	Citric acid					
	Acute fish toxicity	LC50 440 mg/l	96 h	Leuciscus idus		OECD 203
	Acute crustacea toxicity	EC50 1535 mg/l	48 h	Daphnia magna		
497-19-8	sodium carbonate					
	Acute fish toxicity	LC50 300 mg/l	96 h	Lepomis macrochirus		
	Acute crustacea toxicity	EC50 265 mg/l	48 h	Daphnia magna	IUCLID	
100085-64-1	Cocobetainamido Amphopropionate					
	Acute fish toxicity	LC50 15 mg/l	96 h	Regenbogenforelle	OECD 203	
	Acute algae toxicity	ErC50 0,15 mg/l	72 h	Selenastrum capricornutum	OECD 201	
	Acute crustacea toxicity	EC50 4,4 mg/l	48 h	Daphnia magna	OECD 202	
	Acute bacteria toxicity	(>100 mg/l)		Belebtschlamm	OECD 209	

**12.2. Persistence and degradability**

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
5949-29-1	Citric acid			
	OECD 302 B	>98 %	2	
	easily biodegradable			
100085-64-1	Cocobetainamido Amphopropionate			
	OECD 301A	>70 %	28	
	leicht abbaubar			

**12.3. Bioaccumulative potential**

On the basis of existing data about disposal/decomposition and bio-accumulation potential, long term environmental damage is unlikely.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
64-02-8	tetrasodium ethylene diamine tetraacetate	-13

**BCF**

CAS No	Chemical name	BCF	Species	Source
64-02-8	tetrasodium ethylene diamine tetraacetate	1,8	Lepomis macrochirus	

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

not applicable

## STAMMOPUR AG

Revision date: 22.02.2018

No: 83001

Page 7 of 8

**12.6. Other adverse effects**

No data available

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

**Waste disposal number of waste from residues/unused products**

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

**Waste disposal number of used product**

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing hazardous substances; hazardous waste

**Contaminated packaging**

Completely emptied packings can be re-cycled.

**SECTION 14: Transport information****Other applicable information**

Not a hazardous material with respect to transportation regulations.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2004/42/EC (VOC): VOC-value (in g/l): 0

**National regulatory information**

Water contaminating class (D): 2 - clearly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

Data changed from previous versions: 2.1., 3.2., 8.1., 11.1., 12.1., 12.2., 12.3., 13.1., 15.1., 16.

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method

**Relevant H and EUH statements (number and full text)**

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

**Further Information**

Training instructions: Notice the directions for use on the label.

**STAMMOPUR AG**

Revision date: 22.02.2018

No: 83001

Page 8 of 8

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

**Identified uses**

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	STAMMOPUR AG	PW	20	35	8a, 9, 13	8b	0	26	

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*